003216589045 (EU)
0203393 8531 (UK)
(408)780-0908 (US)
info@gentaur.com
www.caslab.com

NFATC4 Polyclonal Antibody

Cat #: G-AB-00265

Host: Rabbit **Reactivity:** Human

Isotype: IgG **Clonality:** Polyclonal

Overview:
The product of this gene is a member of the nuclear factors of activated T cells DNA-binding transcription complex. This complex consists of at least two components: a preexisting cytosolic component that translocates to the nucleus upon T cell receptor (TCR) stimulation and an inducible nuclear component. Other members of this family of nuclear factors of activated T cells also participate in the formation of this complex. The product of this gene plays a role in the inducible expression of cytokine genes in T cells, especially in the induction of the IL-2 and IL-4. Alternatively spliced transcript variants encoding different isoforms have been noted for this gene.

Gene ID:

Accession #:

Immunogen: Recombinant Human Nuclear factor of activated T-cells protein

Conjugation: Unconjugated

Swissprot: Q14934

Calculated Molecular Weight:

Observed Molecular Weight:

Concentration: 2 mg/mL

Buffer: PBS with 0.05% Proclin300 and 50% glycerol, pH7.4.

Purification Method: Affinity purification

Application: IHC

Dilution: IHC 1:100-1:400

Storage: Store at -20°C. Avoid freeze / thaw cycles.