003216589045 (EU)
0203393 8531 (UK)
(408)780-0908 (US)
info@gentaur.com
www.caslab.com

KPNA2 Polyclonal Antibody

Cat #: G-AB-04477

Host: Rabbit **Reactivity:** Human, Mouse

Isotype: IgG **Clonality:** Polyclonal

Overview:
The import of proteins into the nucleus is a process that involves at least 2 steps. The first is an energy-independent docking of the protein to the nuclear envelope and the second is an energy-dependent translocation through the nuclear pore complex. Imported proteins require a nuclear localization sequence (NLS) which generally consists of a short region of basic amino acids or 2 such regions spaced about 10 amino acids apart. Proteins involved in the first step of nuclear import have been identified in different systems. These include the Xenopus protein importin and its yeast homolog, SRP1 (a suppressor of certain temperature-sensitive mutations of RNA polymerase I in Saccharomyces cerevisiae), which bind to the NLS. KPNA2 protein interacts with the NLSs of DNA helicase Q1 and SV40 T antigen and may be involved in the nuclear transport of proteins. KPNA2 also may play a role in V(D)J recombination. Alternative splicing results in multiple transcript variants.

Gene ID:

Accession #: BC005978

Immunogen: Fusion protein of human KPNA2

Conjugation: Unconjugated

Swissprot: P52292

Calculated Molecular Weight: 58 kDa

Observed Molecular Weight: Refer to figures

Concentration: 1.5 mg/mL

Buffer: PBS with 0.05% NaN3 and 40% Glycerol, pH7.4

Purification Method: Antigen affinity purification

Application: WB,IHC,ELISA

Dilution: WB 1:1000-1:5000, IHC 1:50-1:300, ELISA 1:5000-1:10000

Storage: Store at -20°C. Avoid freeze / thaw cycles.