003216589045 (EU)
0203393 8531 (UK)
(408)780-0908 (US)
info@gentaur.com
www.caslab.com

TBCC Polyclonal Antibody

Cat #: G-AB-06884

Host: Rabbit **Reactivity:** Human

Isotype: IgG **Clonality:** Polyclonal

Overview:
Cofactor C is one of four proteins (cofactors A, D, E, and C) involved in the pathway leading to correctly folded beta-tubulin from folding intermediates. Cofactors A and D are believed to play a role in capturing and stabilizing beta-tubulin intermediates in a quasi-native confirmation. Cofactor E binds to the cofactor D/beta-tubulin complex; interaction with cofactor C then causes the release of beta-tubulin polypeptides that are committed to the native state.

Gene ID:

Accession #: BC020170

Immunogen: Fusion protein of human TBCC

Conjugation: Unconjugated

Swissprot: Q15814

Calculated Molecular Weight:

Observed Molecular Weight:

Concentration: 1.2 mg/mL

Buffer: PBS with 0.05% NaN3 and 40% Glycerol, pH7.4

Purification Method: Antigen affinity purification

Application: IHC,ELISA

Dilution: IHC 1:100-1:200, ELISA 1:5000-1:10000

Storage: Store at -20°C. Avoid freeze / thaw cycles.