003216589045 (EU)
0203393 8531 (UK)
(408)780-0908 (US)
info@gentaur.com
www.caslab.com

ERCC2 Polyclonal Antibody

Cat #: G-AB-10753

Host: Rabbit **Reactivity:** Human, Rat

Isotype: IgG **Clonality:**

Overview:
The nucleotide excision repair pathway is a mechanism to repair damage to DNA. The protein encoded by this gene is involved in transcription-coupled nucleotide excision repair and is an integral member of the basal transcription factor BTF2/TFIIH complex. The gene product has ATP-dependent DNA helicase activity and belongs to the RAD3/XPD subfamily of helicases. Defects in this gene can result in three different disorders, the cancer-prone syndrome xeroderma pigmentosum complementation group D, trichothiodystrophy, and Cockayne syndrome. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

Gene ID: 2068

Accession #:

Immunogen: Recombinant fusion protein of human ERCC2 (NP_001124339.1).

Conjugation: Unconjugated

Swissprot: P18074

Calculated Molecular Weight:

Observed Molecular Weight:

Concentration: 1 mg/mL

Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3

Purification Method: Affinity purification

Application: IF

Dilution: IF 1:50-1:100

Storage: Store at -20°C. Avoid freeze / thaw cycles.