003216589045 (EU)
0203393 8531 (UK)
(408)780-0908 (US)
info@gentaur.com
www.caslab.com

# Human TRAIL/TNFSF10 (Tumor Necrosis Factor Related Apoptosis Inducing Ligand) CLIA Kit

**Cat #:** G-EC-00931

**Species:** Human

**Sensitivity:** 4.69pg/mL

**Type:** Sandwich

**Range:** 7.81~500pg/mL

**Detection:** Chemiluminescence

**Duration:** 3.5h

**Principle:**
This CLIA kit uses the Sandwich-CLIA principle. The micro CLIA plate provided in this kit has been pre-coated with an antibody specific to Human TRAIL/TNFSF10. Standards or samples are added to the micro CLIA plate wells and combined with the specific antibody. Then a biotinylated detection antibody specific for Human TRAIL/TNFSF10 and Avidin-Horseradish Peroxidase (HRP) conjugate are added successively to each micro plate well and incubated. Free components are washed away. The substrate solution is added to each well. Only those wells that contain Human TRAIL/TNFSF10, biotinylated detection antibody and Avidin-HRP conjugate will appear fluorescence. The Relative light unit (RLU) value is measured by the Chemiluminescence immunoassay analyzer. The RLU value is positively associated with the concentration of Human TRAIL/TNFSF10. You can calculate the concentration of Human TRAIL/TNFSF10 in the samples by comparing the RLU value of the samples to the standard curve.

**Specificity:**
This kit recognizes Human TRAIL/TNFSF10 in samples. No significant cross-reactivity or interference between Human TRAIL/TNFSF10 and analogues was observed.

**UniProt ID:**

**Gene:** TRAIL/TNFSF10

**Synonyms:** APO2L, Apo2-L, TL2, CD253

**Specimen:** Serum, plasma and other biological fluids

**Application:** This CLIA kit applies to the in vitro quantitative determination of Human TRAIL/TNFSF10 concentrations in Serum, plasma and other

**Research Areas:** Cancer, Cell Biology, Cardiovascular

**Storage:**
An unopened kit can be stored at 2-8°C for 1 month. If the kit is not supposed to be used within 1 month, store the items separately according to the storage table in the manual once the kit is received.